

# SPORTSFIELD SPECIALTIES

www.sportsfield.com | 888-975-3343

*Excellence from  
Design to Installation*



Filming / Broadcast Towers



Sportsfield Specialties, Inc. 41155 State Hwy 10. Delhi, NY 13753



# Filming & Broadcast Towers



## Product Overview

- Sleek multi-purpose filming tower solution
- Provides elevated vantage point for coaches and video team
- Durable powder coated steel & aluminum construction
- Ship's ladder and picket railing with gate
- Available in a variety of colors
- Industry exclusive 5-Year manufacturer's product warranty


**OSHA Compliant!**

Item	Product Description
FT486	6'H, 4'x8' platform Filming Tower with ship's ladder
FT6810	10'H, 6'x8' platform Filming Tower with ship's ladder
PESFT	Stamped drawings and calculations by a licensed professional engineer

Powder Coated Steel Structure,  
 Various Standard Colors Available



Front View



Right View

**Foundation Requirements  
 Based On Local Codes  
 And Soil Conditions**

**PROPRIETARY AND CONFIDENTIAL**



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

**FT486 - 6'H, 4' x 8' Platform  
 Filming Tower with Ship's Ladder**


Not To Scale

Sportsfield Specialties Inc 105609.1-221212

Powder Coated Steel Structure,  
 Various Standard Colors Available



Front View



Right View

Concrete Slab and Piers  
 (Installed by Others)

**Foundation Requirements  
 Based On Local Codes  
 And Soil Conditions**

**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

**FT6810 - 10'H, 6' x 8' Platform  
 Filming Tower with Ship's Ladder**

Not To Scale

Sportsfield Specialties Inc 105610.1-221212