

# SPORTSFIELD SPECIALTIES

www.sportsfield.com | 888-975-3343

*Excellence from  
Design to Installation*



**Baseball / Softball Foul Poles**




Sportsfield Specialties, Inc. 41155 State Hwy 10. Delhi, NY 13753

## Baseball / Softball Foul Poles

### Product Overview


- Standard powder coated yellow, white, or orange finish available to meet NCAA softball field of play, foul pole rule 2.12 requiring a contrasting color to the ball
- Standard pre-engineered heights: 15', 20', 30', 40', 50', 60', 70', and 80'
- Available with or without mesh wing
- Available with stamped drawings and calculations by a licensed professional engineer
- Custom sizes available upon request



Item Number	Product Description
FP415	Foul pole without mesh wing, ground sleeve inserted - 15'H
FP415PL	Foul pole without mesh wing, base plate mount - 15'H
FPW415	Foul pole with mesh wing, ground sleeve inserted - 15'H
FPW415PL	Foul pole with mesh, base plate mount - 15'H
FP420	Foul pole without mesh wing, ground sleeve inserted - 20'H
FP420PL	Foul pole without mesh wing, base plate mount - 20'H
FPW420	Foul pole with mesh, ground sleeve inserted - 20'H
FPW420PL	Foul pole with mesh, base plate mount - 20'H
FP630	Foul pole without mesh wing, ground sleeve inserted - 30'H
FP630PL	Foul pole without mesh wing, base plate mount - 30'H
FPW630	Foul pole with mesh, ground sleeve inserted - 30'H
FPW630PL	Foul pole with mesh, base plate mount - 30'H
FP640	Foul pole without mesh wing, ground sleeve inserted - 40'H
FP640PL	Foul pole without mesh wing, base plate mount - 40'H
FPW640	Foul pole with mesh, ground sleeve inserted - 40'H
FPW640PL	Foul pole with mesh, base plate mount - 40'H
FPW850	Foul pole with mesh, ground sleeve inserted - 50'H
FPW1060	Foul pole with mesh, ground sleeve inserted - 60'H
FPW1270	Foul pole with mesh, direct embedment - 70'H
FPW1480	Foul pole with mesh, direct embedment - 80'H
PESFP	Stamped drawings and calculations by a licensed professional engineer



Standard Powder Coated Yellow Finish, \*White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play, Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball that Became Mandatory in 2018



Part No.	Foul Pole Height	Overall Length	Embedment Depth	Pole Material	Minimum Foundation Diameter
FP415	15'	17'-6"	2'-6"	4" OD x 0.125" Wall Aluminum	16"
FP420	20'	22'-6"	2'-6"	4" OD x 0.125" Wall Aluminum	16"
FP630	30'	34'	4'-0"	6-5/8" OD x 0.280" Wall Aluminum	24"
FP640	40'	44'	4'-0"	6-5/8" OD x 0.280" Wall Steel	24"

**PROPRIETARY AND CONFIDENTIAL**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

## Ground Sleeve Foul Pole

Not To Scale

Sportsfield Specialties Inc 06302020

Standard Powder Coated Yellow Finish, \*White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play, Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball that Became Mandatory in 2018



Part No.	Foul Pole Height	Overall Length	Embedment Depth	Wing Length	# of Wing Panels	Pole Material	Minimum Foundation Diameter
FPW415	15'	17'-6"	2'-6"	7'	1	4" OD x 0.125" Wall Aluminum	18"
FPW420	20'	22'-6"	2'-6"	12'	2	4" OD x 0.125" Wall Aluminum	18"
FPW630	30'	34'	4'-0"	22'	4	6-5/8" OD x 0.280" Wall Aluminum	24"
FPW640	40'	44'	4'-0"	32'	6	6-5/8" OD x 0.280" Wall Steel	24"

**PROPRIETARY AND CONFIDENTIAL**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

## Ground Sleeve Foul Pole with Wing

Not To Scale

Sportsfield Specialties Inc 06302020

Standard Powder Coated Yellow Finish, \*White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play, Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball that Became Mandatory in 2018



Part No.	Foul Pole Height	Mounting Detail	Pole Material	Minimum Foundation Diameter
FP415PL	15'	A	4" OD x 0.226" Wall Aluminum	24"
FP420PL	20'	A	4" OD x 0.226" Wall Aluminum	24"
FP630PL	30'	B	6-5/8" OD x 0.280" Wall Aluminum	30"
FP640PL	40'	B	6-5/8" OD x 0.280" Wall Steel	30"

Foundation Requirements Based on Local Codes and Soil Conditions

**PROPRIETARY AND CONFIDENTIAL**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

## Plate Mount Foul Pole

Not To Scale

Sportsfield Specialties Inc 08142020

Standard Powder Coated Yellow Finish, \*White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play, Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball that Became Mandatory in 2018



Part No.	Foul Pole Height	Mounting Detail	Wing Length	# of Wing Panels	Pole Material	Minimum Foundation Diameter
FPW415PL	15'	A	7'	1	4" OD x 0.226" Wall Aluminum	24"
FPW420PL	20'	A	12'	2	4" OD x 0.226" Wall Aluminum	24"
FPW630PL	30'	B	22'	4	6-5/8" OD x 0.280" Wall Aluminum	36"
FPW640PL	40'	B	32'	6	6-5/8" OD x 0.280" Wall Steel	36"

**PROPRIETARY AND CONFIDENTIAL**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

## Plate Mount Foul Pole with Wing

Not To Scale

Sportsfield Specialties Inc 08142020

Standard Powder Coated Yellow Finish, \*White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play, Foul Pole Rule 2.16.1 Requiring a Contrasting Color to the Ball that Became Mandatory in 2018



Part No.	Foul Pole Height	Overall Length	Embedment Depth	Wing Length	# of Wing Panels	Splice Length	Pole Material	Minimum Foundation Diameter
FPW850	50'	55'	5' **	42'	8	11'	HSS 8.625 x 0.332	36"
FPW1060	60'	66'	6' **	52'	10	21'	HSS 10.75 x 0.365	36"
FPW1270	70'	78'	8'	62'	12	31'	HSS 12.75 x 0.375	36"
FPW1480	80'	89'	9'	72'	14	41'	HSS 14.00 x 0.375	42"

**PROPRIETARY AND CONFIDENTIAL**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

## Direct Embedment Foul Pole with Wing

Not To Scale


Sportsfield Specialties Inc 06302020





Bolt-on Pole to Aluminum Base Connection

Standard Powder Coated Yellow Finish, \*White or Orange Available Upon Request to Meet Current NCAA Softball Field of Play, Foul Pole Rule 2.12 Requiring a Contrasting Color to the Ball that Became Mandatory in 2018



**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

**FPW210PT**  
**10' Portable Foul Pole with Wing**

Not To Scale

Sportsfield Specialties Inc 04282020