



SPORTSFIELD SPECIALTIES

www.sportsfield.com | 888-975-3343

*Excellence from
Design to Installation*



Outdoor Padding



Sportsfield Specialties, Inc. 41155 State Hwy 10. Delhi, NY 13753



Certified Safety for All Levels of Play

Outdoor Wall Padding

Outdoor Wall Padding provides customized safety and quality for athletes playing outdoor sports - Perfect for football, baseball, and softball stadiums. Sportsfield Specialties has installed padding in hundreds of venues around the world and is the industry leader offering site specific safety with customizing capabilities. Our leadership position is maintained through continued innovation and 3rd party testing, bringing product enhancement and accountability to the wall padding industry.




ProZone® Field Wall Padding



Product Overview

- Premium offering featuring unparalleled impact safety performance
- The preferred choice for college and professional applications
- Engineered 3" high performance HDPU foam design
- Premium UV resistant exterior vinyl covering
- 3/4" moisture resistant composite board
- Choose from a variety of standard color options
- Custom digital graphics / lettering available upon request
- Available with z-clip wall attachment or chain-link attachment
- 3-year manufacturer's limited product warranty

Item Number	Product Description
PFWPCL44	ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment
PFWPCL44DG	ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment with digitally printed graphics
PFWPZ44	ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting
PFWPZ44DG	ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting with digitally printed graphics
PFWPCL46	ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment
PFWPCL46DG	ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment with digitally printed graphics
PFWPZ46	ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting
PFWPZ46DG	ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting with digitally printed graphics
PFWPCL48	ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment
PFWPCL48DG	ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment with digitally printed graphics
PFWPZ48	ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting
PFWPZ48DG	ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting with digitally printed graphics



Head Injury Criterion (HIC) & Gmax Testing



Safety is our first concern. That's why Sportsfield Specialties invests in rigorous testing to guarantee our products excel at safety. Our Zone Stadium Wall Pads make the grade by offering excellent player protection on the field -- Certified by 3rd party testing agencies!

HIC vs. Drop Height / Impact Velocity

Head Injury Criterion (HIC) is the internationally recognized measurement for the likelihood of head injury.

Gmax vs. Drop Height / Impact Velocity

Gmax refers to how much force our wall pads absorb and in return, how much is returned to the athlete.



ProZone® safely absorbs impact velocities up to 37% higher than BaseZone®




BaseZone® Field Wall Padding



Product Overview

- Popular and affordable option that remains the best in its class
- The preferred choice for high school and little league applications
- 3" 1580 polyurethane foam excels at moderate impact velocities
- 18oz. UV resistant exterior vinyl covering
- 3/4" moisture resistant composite board
- Choose from a variety of standard color options
- Custom digital graphics / lettering available upon request
- Available with z-clip wall attachment or chain-link attachment

Item Number	Product Description
BFWPCL44	BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment
BFWPCL44DG	BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment with digitally printed graphics
BFWPZ44	BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting
BFWPZ44DG	BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting with digitally printed graphics
BFWPCL46	BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment
BFWPCL46DG	BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment with digitally printed graphics
BFWPZ46	BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting
BFWPZ46DG	BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting with digitally printed graphics
BFWPCL48	BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment
BFWPCL48DG	BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment with digitally printed graphics
BFWPZ48	BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting
BFWPZ48DG	BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting with digitally printed graphics



Squared Guard Rail Padding



Product Overview

- The preferred choice for aesthetics and branding
- Available with high resolution digitally printed graphics
- 18 oz. UV resistant exterior vinyl covering
- 1-1/4" high impact XPE foam
- 3/4" moisture resistant composite board
- Engineered rail attachment bracketry and hardware
- Choose from a variety of standard color options
- Fully sewn and grommeted models available upon request

Item Number	Product Description
BSGRP	Squared guard rail padding
BSGRPDG	Squared guard rail padding with digital graphics
BFGRP	Flat guard rail padding
BFGRPDG	Flat guard rail padding with digital graphics



Round Guard Rail Padding

Product Overview

- 18 oz. exterior vinyl covering
- Choose from a variety of standard color options
- 1" high density polyurethane foam
- 1.5" vinyl flaps with stainless steel grommets
- Attached to railing with 8" cable ties

Item Number	Product Description
BGRPSG	Round guard rail padding
GRPSG	Economy round guard rail padding



Chain Link Post & Rail Padding

Product Overview

- Provides safety to athletes and visibility for spectators
- Commonly used for bullpen areas and outfield fencing
- 18 oz. UV resistant exterior vinyl covering
- 3" 1580 polyurethane foam
- 1.5" vinyl flaps with stainless steel grommets
- Attached to fence with 14" cable ties

Item Number	Product Description
BCLTRPSG	Top rail pad, 9" face
BCLPPSG	Horizontal and vertical post pad, 6" face



Light Pole Padding

Product Overview

- Hexagonal design x 6' height
- Premium fully encased construction
- 2" high density foam and outdoor vinyl
- Custom digital graphics available upon request
- Variety of standard colors available

Item Number	Product Description
LPP10	Light pole padding, 10.75"OD pole
LPP12	Light pole padding, 12.75"OD pole
LPP14	Light pole padding, 14"OD pole
LPP16	Light pole padding, 16"OD pole
LPP18	Light pole padding, 18"OD pole
LPP20	Light pole padding, 20"OD pole




Scoreboard I-Beam Padding

Product Overview

- Square design x 6' height
- Premium fully encased construction
- 2" high density foam and outdoor vinyl
- Custom digital graphics available upon request
- Variety of standard colors available

Item Number	Product Description
SBP4	Scoreboard I-beam padding, 4" max inside dimension
SBP6	Scoreboard I-beam padding, 6" max inside dimension
SBP8	Scoreboard I-beam padding, 8" max inside dimension
SBP10	Scoreboard I-beam padding, 10" max inside dimension
SBP12	Scoreboard I-beam padding, 12" max inside dimension
SBP14	Scoreboard I-beam padding, 14" max inside dimension
SBP16	Scoreboard I-beam padding, 16" max inside dimension
SBP18	Scoreboard I-beam padding, 18" max inside dimension
SBP20	Scoreboard I-beam padding, 20" max inside dimension



Z-Clip Wall Mount

3/4" Square Edge AdvanTech Water Resistant Composite Sheathing Panel, All Sides Stained and Sealed with Exterior Grade Finish


#12 x 1" Stainless Steel Screw

Aluminum Z-Clips, Top and Bottom

(Intermediate Row of Clips for Pads 6' and higher)

Optional Custom Digitally Printed Lettering And/Or Graphics Available

3-Year Manufacturer's Limited Product Warranty



Chain Link Bolt and Plate Mount

1/8" x 3.75" Round Aluminum Backing Plates

Engineered 3" High-Density Polyurethane (HDPU) Open Cell Foam

1/4" x 2" Galvanized Steel Lag Bolt

Premium Outdoor Vinyl, High UV Resistance, Various Standard Colors Available

Part Numbers *	Size	Attachment
PFWPZ44/PFWPZ44DG	4'W x 4'L x 3.75"D	Z-Clip Wall Mount
PFWPZ46/PFWPZ46DG	4'W x 6'L x 3.75"D	Z-Clip Wall Mount
PFWPZ48/PFWPZ48DG	4'W x 8'L x 3.75"D	Z-Clip Wall Mount
PFWPZ-NSS/PFWPZDG-NSS	_ 'W x _ 'L x 3.75"D	Z-Clip Wall Mount
PFWPCL44/PFWPCL44DG	4'W x 4'L x 3.75"D	Chain Link Bolt and Plate Mount
PFWPCL46/PFWPCL46DG	4'W x 6'L x 3.75"D	Chain Link Bolt and Plate Mount
PFWPCL48/PFWPCL48DG	4'W x 8'L x 3.75"D	Chain Link Bolt and Plate Mount
PFWPCL-NSS/PFWPCLDG-NSS	_ 'W x _ 'L x 3.75"D	Chain Link Bolt and Plate Mount

*DG Part Number Denotes Custom Digitally Printed Graphics

Final Layout and/or Graphic Rendering to be Completed upon Verification of Field Measurements


PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

ProZone® Premium Field Wall Padding

Not To Scale

Sportsfield Specialties Inc 08182021




Z-Clip Wall Mount

3/4" Square Edge AdvanTech Water Resistant Composite Sheathing Panel, All Sides Stained and Sealed with Exterior Grade Finish

#12 x 1" Stainless Steel Screw

Aluminum Z-Clips, Top and Bottom (Intermediate Row of Clips for Pads 6' and Higher)



Chain Link Bolt and Plate Mount

1/8" x 3.75" Round Aluminum Backing Plates

3" Thick High Impact Polyurethane Foam

1/4" x 2" Galvanized Steel Lag Bolt

Optional Custom Digitally Printed Lettering And/Or Graphics Available

18 oz. Outdoor Vinyl, High UV Resistance, Various Standard Colors Available

Part Numbers *	Size	Attachment
BFWPZ44/BFWPZ44DG	4'W x 4'L x 3.75"D	Z-Clip Wall Mount
BFWPZ46/BFWPZ46DG	4'W x 6'L x 3.75"D	Z-Clip Wall Mount
BFWPZ48/BFWPZ48DG	4'W x 8'L x 3.75"D	Z-Clip Wall Mount
BFWPZ-NSS/BFWPZDG-NSS	_ 'W x _ 'L x 3.75"D	Z-Clip Wall Mount
BFWPCL44/BFWPCL44DG	4'W x 4'L x 3.75"D	Chain Link Bolt and Plate Mount
BFWPCL46/BFWPCL46DG	4'W x 6'L x 3.75"D	Chain Link Bolt and Plate Mount
BFWPCL48/BFWPCL48DG	4'W x 8'L x 3.75"D	Chain Link Bolt and Plate Mount
BFWPCL-NSS/BFWPCLDG-NSS	_ 'W x _ 'L x 3.75"D	Chain Link Bolt and Plate Mount

*DG Part Number Denotes Custom Digitally Printed Graphics

Final Layout and/or Graphic Rendering to be Completed upon Verification of Field Measurements



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BaseZone® Field Wall Padding

Not To Scale

Sportsfield Specialties Inc 08182021




PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BGRPSG BaseZone® Round Guard Rail Padding

Not To Scale

Sportsfield Specialties Inc 07252022



Standard Part Numbers

BSGRP	Squared Guard Rail Padding
BSGRPDG	Squared Guard Rail Padding, Digital Graphics



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BSGRP BaseZone® Squared Guard Rail Padding

Not To Scale

Sportsfield Specialties Inc 06042020



Standard Part Numbers

BSGRPSG	Squared Guard Rail Padding, Sewn Grommet
BSGRPSGDG	Squared Guard Rail Padding, Sewn Grommet, Digital Graphics


PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BSGRPSG BaseZone® Squared Guard Rail Padding, Sewn Grommet

Not To Scale

Sportsfield Specialties Inc 04122022



Standard Part Numbers

BFGRP	Flat Guard Rail Padding
BFGRPDG	Flat Guard Rail Padding, Digital Graphics


PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BFGRP BaseZone® Flat Guard Rail Padding

Not To Scale

Sportsfield Specialties Inc 06042020



Standard Part Numbers

BFGRPSG	Flat Guard Rail Padding, Sewn Grommet
BFGRPSGDG	Flat Guard Rail Padding, Sewn Grommet, Digital Graphics


PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BFGRPSG BaseZone® Flat Guard Rail Padding, Sewn Grommet

Not To Scale

Sportsfield Specialties Inc 04122022




PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BCLPP BaseZone® Chain Link Post Padding, Rigid Backing

Not To Scale

Sportsfield Specialties Inc 06042020





PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BCLPPSG (CLP) BaseZone® Chain Link Post Padding, Sewn Grommet

Not To Scale

Sportsfield Specialties Inc 04122022



Padding Attaches to Chain Link Fence with Provided Backing Plates and Corrosion Resistant Screws (Not Shown)

NOTE: The applicable chain link fence MUST be flush across the top to permit an appropriate Top Rail Pad installation; vertical line posts CANNOT extend above the chain link fabric nor the horizontal top rail (if present). Failure to heed this requirement will prohibit a satisfactory product installation



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BCLTRPR BaseZone® Chain Link Top Rail Padding, Rigid Backing

Not To Scale

Sportsfield Specialties Inc 03262020



Note: The applicable chain link fence MUST be flush across the top to permit an appropriate top rail pad installation; vertical line posts CANNOT extend above the chain link fabric nor the horizontal top rail (if present). Failure to heed this requirement will prohibit a satisfactory product installation


PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

BCLTRPSG (CLTRHI) BaseZone® Chain Link Top Rail Padding, Sewn Grommet

Not To Scale

Sportsfield Specialties Inc 04122022



Part #	Pole Diameter
LPP10	10.75"
LPP12	12.75"
LPP14	14.00"
LPP16	16.00"
LPP18	18.00"
LPP20	20.00"

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.


Light Pole Padding

Not To Scale

Sportsfield Specialties Inc 06082020


18 oz. Outdoor Vinyl,
High UV Resistance,
Various Standard Colors Available

2" Thick Closed Cell Cross Link Foam



6' Tall with
Hook and Loop Attachment Flaps

Optional Custom Digitally Printed Lettering
And/Or Graphics Available



Final I-Beam Dimensions to be
Provided Prior to Manufacturing

Part #	I.D.	O.D.
SBP4	4"	8"
SBP6	6"	10"
SBP8	8"	12"
SBP10	10"	14"
SBP12	12"	16"
SBP14	14"	18"
SBP16	16"	20"
SBP18	18"	22"
SBP20	20"	24"

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

Scoreboard I-Beam Pad

Not To Scale

Sportsfield Specialties Inc 06042020