




www.sportsfield.com | 888-975-3343

*Excellence from
Design to Installation*




PaDelhi™ Padel Court Systems



Sportsfield Specialties, Inc. 41155 State Hwy 10. Delhi, NY 13753

PaDelhi™ Padel Court Systems


Introducing Sportsfield Specialties new line of PaDelhi™ Padel Court Systems proudly manufactured in the USA. Our Padel Court Systems feature an engineered design and user-friendly installation comprised of durable raw materials and high-quality manufacturing processes. Sportsfield's PaDelhi™ Padel Court Systems incorporate everything needed for installation, including the structural posts with welded base plates, wire mesh frames, tempered glass panels, light posts/ fixtures, posts/net, synthetic turf surfacing, and sand infill material. **Coming Soon: PaDelhi™ Panoramic and Portable Padel Court Systems!**



PDLG


Product Overview

- Base plates and reinforcement gussets fabricated of 1/2" thick welded steel
- 3 meter posts fabricated of 4" x 2" 11 gauge steel rectangular tube with welded reinforcement gusset
- 4 meter posts fabricated of 4" x 2" 11 gauge steel rectangular tube with welded 4" x 2" x 54" 11 gauge steel rectangular tube reinforcement
- 4 meter corner posts fabricated of double 4" x 2" 11 gauge steel rectangular tube with welded 4" x 2" x 54" 11 gauge steel rectangular tube reinforcement
- 7 meter lighting posts fabricated of 4" x 2" 11 gauge steel rectangular tube with welded reinforcement gusset
- Four (4) 400-watt LED lighting fixtures with attachment coupler
- 2" x 2" square mesh, 1.844" x 1.844" opening, 0.156" thick (8-1/4 gauge) wire diameter, carbon steel, bent and welded 11 gauge steel frame
- Eighteen (18) 3/8" (10mm) clear tempered glass, 2 meters wide x 3 meters high, polished edge
- Professionally pre-engineered to meet ASCE 7 wind load rating up to 130 mph Exposure C
- Padel Court posts and net, 2-7/8" round internal wind posts, set of 2
- Polypropylene synthetic turf, pile height: 9/16" +/- 1/8", florida blue with inlaid white lines, various additional colors available upon request
- Standard black and white powder coated finish, various additional colors available upon request




PDPD

Item Number	Product Description
PDCRTSYSPLLR	PaDelhi™ Pillar Padel Court System - Includes Corner and Line Posts with Base Plates, 18 Panels of 10mm Thick Tempered Glass, Wire Mesh End and Side Frames, Two (2) Round Internal Wind Padel Posts with Net, Four (4) Extension Light Posts with 400W LED Fixtures, Hardware Kit, Powder Coated Finish, Florida Blue Synthetic Turf with Inlaid White Lines, Seam Tap, Adhesive, and Sand Infill Material
PDLG	PaDelhi™ Padel Court Entrance/Exit Sliding Locking Gate System, Set of Two (2)
PDPD	PaDelhi™ Padel Court Entrance/Exit and Net Post Padding, Set of Two (2), Various Standard Vinyl Colors Available



* Standard Black and Red Powder Coated Finish, Various Additional Colors Available Upon Request



Optional Accessories

PDLG	PaDelhi™ Padel Court Entrance/Exit Sliding Locking Gate System, Set of Two (2)
PDPD	PaDelhi™ Padel Court Entrance/Exit and Post Net Padding, Set of Two (2)

Professionally Pre-Engineered to Meet ASCE 7 Wind Load Rating Up to 130 mph Exposure B and 105 mph Exposure C

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

**PDCRTSYSPNRMC PaDelhi™
Panoramic Padel Court System**

Not To Scale



Sportsfield Specialties Inc 111517-231109

Synthetic Turf: Polypropylene

Pile Height: 9/16" +/- 1/8"

Backing: 20 oz. Polypropylene

Color: Florida Blue with Inlaid White Lines,
 Various Additional Colors Available Upon Request
 Five (5) Panels, Includes Seam Tape and Adhesive,
 Infill with Provided Round Sand



PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

PDCRTSYSPNRMC PaDelhi™
Panoramic Padel Court System

Not To Scale

Sportsfield Specialties Inc 111517-231109

* Standard Black and Red Powder Coated Finish, Various Additional Colors Available Upon Request



Optional Accessories

PDLG	PaDelhi™ Padel Court Entrance/Exit Sliding Locking Gate System, Set of Two (2)
PDPD	PaDelhi™ Padel Court Entrance/Exit and Post Net Padding, Set of Two (2)

Professionally Pre-Engineered to Meet ASCE 7 Wind Load Rating Up to 130 mph Exposure B and 105 mph Exposure C

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

**PDCRTSYSPLLR PaDelhi™
Pillar Padel Court System**

Not To Scale



Sportsfield Specialties Inc 108857.1-231109

Synthetic Turf: Polypropylene

Pile Height: 9/16" +/- 1/8"

Backing: 20 oz. Polypropylene

Color: Florida Blue with Inlaid White Lines,
 Various Additional Colors Available Upon Request
 Five (5) Panels, Includes Seam Tape and Adhesive,
 Infill with Provided Round Sand




PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

PDCRTSYSPLLR PaDelhi™
Pillar Padel Court System

Not To Scale

Sportsfield Specialties Inc 108857-231109



Synthetic Turf: Polypropylene
 Pile Height: 9/16" +/- 1/8"
 Backing: 20 oz. Polypropylene
 Color: Florida Blue with Inlaid White Lines,
 Various Additional Colors Available Upon Request
 Five (5) Panels, Includes Seam Tape and Adhesive,
 Infill with Provided Round Sand

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.


PDST PaDelhi™
Padel Court Synthetic Turf

Not To Scale

Sportsfield Specialties Inc 06072023.1-230714

Luminaire Schedule

Symbol	Qty	Label	Arrangement	Description	LLF	Luminaire Lumens	Luminaire Watts	Total Watts
*	4	A	Single	ANX-48L-CT-50 (ZONE SLICE) @ 20' MTG. HT (6.1M)	.940	48096	401	1604



Calculation Summary							
Label	Calc Type	Units	Avg	Max	Min	Max/Min	Min/Max
Padel Court	Illuminance	Lux	498.24	591	389		.66

The light levels shown are maintained using a .94 light loss factor (LLF). Light loss factors are used to adjust the light output of a luminaire operating in a controlled laboratory environment to the output obtained under actual field conditions. The LLF used in these calculations includes both recoverable and non-recoverable factors. Recoverable factors include luminaire dirt depreciation (LDD). Non-recoverable factors include optical system variations, and depreciation in initial luminaire lumen output. The use of the light loss factor shown requires making certain assumptions about the lighting system, the specific application, and the maintenance of the system over time. Therefore, actual light levels measured in the field may vary from the calculated values, especially in regards to individual location measurements.

Calculations use a LED Maintained Lamp Lumen factor based upon 50,000 hours of life, derived from IES TM21-11.

Based on the information provided, all dimensions and luminaire locations shown represent recommended positions. The engineer and/or architect must determine applicability of the layout to existing or future field conditions.



Zone Slice (ZNX)
Outdoor Sports Light

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPORTSFIELD SPECIALTIES INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPORTSFIELD SPECIALTIES INC. IS PROHIBITED.

PDLGHT PaDelhi™
Padel Court Lighting System

Not To Scale

Sportsfield Specialties Inc 06072023.1-230714