




SPORTSFIELD SPECIALTIES


www.sportsfield.com | 888-975-3343

CONTENTS

- ProZone® & BaseZone® Outdoor Wall Pads
- Guard Rail Padding
- Chain Link Post & Rail Padding
- Light Pole Padding
- Scoreboard I-Beam Padding



Outdoor Padding



Sportsfield Specialties, Inc. 41155 State Hwy 10. Delhi, NY 13753



Certified Safety for All Levels of Play

Outdoor Wall Padding

Outdoor Wall Padding provides customized safety and quality for athletes playing outdoor sports - Perfect for football, baseball, and softball stadiums. Sportsfield Specialties has installed padding in hundreds of venues around the world and is the industry leader offering site specific safety with customizing capabilities. Our leadership position is maintained through continued innovation and 3rd party testing, bringing product enhancement and accountability to the wall padding industry.




ProZone® Field Wall Padding




PRODUCT OVERVIEW

- Premium offering featuring unparalleled impact safety performance
- The preferred choice for college and professional applications
- Engineered 3" high performance HDPU foam design
- Premium UV resistant exterior vinyl covering
- 3/4" moisture resistant composite board
- Choose from a variety of standard color options
- Custom digital graphics / lettering available upon request
- Available with z-clip wall attachment or chain-link attachment
- 3-year manufacturer's limited product warranty

| Item Number | Product Description |
|-------------|--|
| PFWPCL44 | ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment |
| PFWPCL44DG | ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment with digitally printed graphics |
| PFWPZ44 | ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting |
| PFWPZ44DG | ProZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting with digitally printed graphics |
| PFWPCL46 | ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment |
| PFWPCL46DG | ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment with digitally printed graphics |
| PFWPZ46 | ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting |
| PFWPZ46DG | ProZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting with digitally printed graphics |
| PFWPCL48 | ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment |
| PFWPCL48DG | ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment with digitally printed graphics |
| PFWPZ48 | ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting |
| PFWPZ48DG | ProZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting with digitally printed graphics |




Head Injury Criterion (HIC) & Gmax Testing



Safety is our first concern. That's why Sportsfield Specialties invests in rigorous testing to guarantee our products excel at safety. Our Zone Stadium Wall Pads make the grade by offering excellent player protection on the field -- Certified by 3rd party testing agencies!


HIC vs. Drop Height / Impact Velocity

Head Injury Criterion (HIC) is the internationally recognized measurement for the likelihood of head injury.



Gmax vs. Drop Height / Impact Velocity

Gmax refers to how much force our wall pads absorb and in return, how much is returned to the athlete.



ProZone[®] safely absorbs impact velocities up to 37% higher than BaseZone[®]




BaseZone® Field Wall Padding



PRODUCT OVERVIEW

- Popular and affordable option that remains the best in its class
- The preferred choice for high school and little league applications
- 3" 1580 polyurethane foam excels at moderate impact velocities
- 18oz. UV resistant exterior vinyl covering
- 3/4" moisture resistant composite board
- Choose from a variety of standard color options
- Custom digital graphics / lettering available upon request
- Available with z-clip wall attachment or chain-link attachment

| Item Number | Product Description |
|-------------|---|
| BFWPCL44 | BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment |
| BFWPCL44DG | BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, chain link attachment with digitally printed graphics |
| BFWPZ44 | BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting |
| BFWPZ44DG | BaseZone® Field Wall Padding, 4'W x 4'L x 3.75"D, z-clip wall mounting with digitally printed graphics |
| BFWPCL46 | BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment |
| BFWPCL46DG | BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, chain link attachment with digitally printed graphics |
| BFWPZ46 | BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting |
| BFWPZ46DG | BaseZone® Field Wall Padding, 4'W x 6'L x 3.75"D, z-clip wall mounting with digitally printed graphics |
| BFWPCL48 | BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment |
| BFWPCL48DG | BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, chain link attachment with digitally printed graphics |
| BFWPZ48 | BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting |
| BFWPZ48DG | BaseZone® Field Wall Padding, 4'W x 8'L x 3.75"D, z-clip wall mounting with digitally printed graphics |



Squared Guard Rail Padding



PRODUCT OVERVIEW

- The preferred choice for aesthetics and branding
- Available with high resolution digitally printed graphics
- 18 oz. UV resistant exterior vinyl covering
- 1-1/4" high impact XPE foam
- 3/4" moisture resistant composite board
- Engineered rail attachment bracketry and hardware
- Choose from a variety of standard color options
- Fully sewn and grommeted models available upon request

| Item Number | Product Description |
|-------------|--|
| BSGRP | Squared guard rail padding |
| BSGRPDG | Squared guard rail padding with digital graphics |
| BFGRP | Flat guard rail padding |
| BFGRPDG | Flat guard rail padding with digital graphics |



Round Guard Rail Padding

PRODUCT OVERVIEW

- 18 oz. exterior vinyl covering
- Choose from a variety of standard color options
- 1" high density polyurethane foam
- 1.5" vinyl flaps with stainless steel grommets
- Attached to railing with 8" cable ties

| Item Number | Product Description |
|-------------|----------------------------------|
| BGRPSG | Round guard rail padding |
| GRPSG | Economy round guard rail padding |



Chain Link Post & Rail Padding

PRODUCT OVERVIEW

- Provides safety to athletes and visibility for spectators
- Commonly used for bullpen areas and outfield fencing
- 18 oz. UV resistant exterior vinyl covering
- 3" 1580 polyurethane foam
- 1.5" vinyl flaps with stainless steel grommets
- Attached to fence with 14" cable ties

| Item Number | Product Description |
|-------------|---|
| BCLTRPSG | Top rail pad, 9" face |
| BCLPPSG | Horizontal and vertical post pad, 6" face |



Light Pole Padding

PRODUCT OVERVIEW

- Hexagonal design x 6' height
- Premium fully encased construction
- 2" high density foam and outdoor vinyl
- Custom digital graphics available upon request
- Variety of standard colors available

| Item Number | Product Description |
|-------------|-----------------------------------|
| LPP10 | Light pole padding, 10.75"OD pole |
| LPP12 | Light pole padding, 12.75"OD pole |
| LPP14 | Light pole padding, 14"OD pole |
| LPP16 | Light pole padding, 16"OD pole |
| LPP18 | Light pole padding, 18"OD pole |
| LPP20 | Light pole padding, 20"OD pole |



Scoreboard I-Beam Padding

PRODUCT OVERVIEW

- Square design x 6' height
- Premium fully encased construction
- 2" high density foam and outdoor vinyl
- Custom digital graphics available upon request
- Variety of standard colors available

| Item Number | Product Description |
|-------------|---|
| SBP4 | Scoreboard I-beam padding, 4" max inside dimension |
| SBP6 | Scoreboard I-beam padding, 6" max inside dimension |
| SBP8 | Scoreboard I-beam padding, 8" max inside dimension |
| SBP10 | Scoreboard I-beam padding, 10" max inside dimension |
| SBP12 | Scoreboard I-beam padding, 12" max inside dimension |
| SBP14 | Scoreboard I-beam padding, 14" max inside dimension |
| SBP16 | Scoreboard I-beam padding, 16" max inside dimension |
| SBP18 | Scoreboard I-beam padding, 18" max inside dimension |
| SBP20 | Scoreboard I-beam padding, 20" max inside dimension |